

WASHINGTON COUNTY
 HEALTH DEPARTMENT
 333 E. Washington St. Suite
 1100
 West Bend WI 53095
 F-45002A (Rev. 09/08)



(262) 365-5878
 s. 97.30, s. 254.61, Subchapter
 VII, Wis. Stats.

Foodservice Establishment Inspection Report

Establishment Information	
Facility Name HARTFORD UNION SCHOOL DISTRICT	Facility Type DPI School
Facility ID # HSAT-7QX639	Facility Telephone # 262 673-8943
Facility Address 805 CEDAR HARTFORD, WI 53027	
Licensee Name HARTFORD UNION HIGH SCHOOL DISTRICT	Licensee Address 805 CEDAR ST HARTFORD, WI 53027

Inspection Information		
Inspection Type Routine	Inspection Date October 03, 2013	Total Time Spent

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Leer walk-in cooler-Cafe East	41
Tyler walk-in freezer-Cafe East	8
Beverage Air milk cooler-Cafe East kitchen line	36
Beverage Air milk cooler-Cafe East bar line	36
Beverage Air milk cooler-Corner Cafe	34
Beverage Air milk cooler-Cafe North bar line	32
Beverage Air milk cooler-Cafe North ala carte #1	32
Habco Minute Maid cooler-Cafe North	34
Beverage Air milk cooler-Cafe North kitchen	34
Kolpak walk-in cooler-Cafe North	38
Kolpak walk-in freezer-Cafe North	-4
Beverage Air milk cooler-Cafe North ala carte #2	34

Food Temperatures	
Description	Temperature (Fahrenheit)
Veggie soup in hot hold-Cafe East	173
Hamburgers in hot hold-Cafe East	163
Sliced deli turkey in WIC-Cafe East	34
Between 2 cartons of milk in kitchen line milk cooler	40
Between 2 cartons of milk in Cafe East bar line	40
Sliced tomatoes and broccoli salad in Cafe East line	60
Hamburgers in hot hold in ala carte line	150
Between 2 cartons of milk in Cafe East bar line	41
Hamburger in hot hold in Cafe North	157
Sliced tomatoes in Cafe North bar line	54
Broccoli salad in Cafe North bar line	58

Between 2 cartons of milk in Cafe North bar milk cooler	39
Between 2 cartons of milk in ala carte milk cooler	39
Between 2 cartons of milk in kitchen line milk cooler	39
Veggie soup in hot hold in Cafe North	153
Ham in WIC in Cafe North	42
Buffalo chicken in WIC in Cafe North	38
Between 2 cartons of milk in ala carte line #2 milk cooler	43

Warewashing Info						
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type	
4 compartment sink in North Cafe	Chemical High	185	200	ProPower	Quaternary	
Hobart Dish machine in East Cafe	Temperature	190		Quaternary Sanitizer	Ammonium Compound	
Hobart Dish machine in Dish Room	Temperature					


OPERATOR - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

Observed Violations
Total # 1
<p>Good Retail Practices - 51 - Toilet facilities: properly constructed, supplied and cleaned OBSERVATION: Toilet room in the Cafe East kitchen is not provided with a self-closing door. CORRECTIVE ACTION(S): Provide a self-closing door mechanism on bathroom door to provide a tight fitting self closing door. CODE CITATION: 6-202.14 Except where a toilet room is located outside a FOOD ESTABLISHMENT and does not open directly into the FOOD ESTABLISHMENT such as a toilet room that is provided by the management of a shopping mall, a toilet room located on the PREMISES shall be completely enclosed and provided with a tight-fitting and self-closing door.</p>

Comments
<p>Foods that are available for self-serve are discarded after lunch with lunch being less than 2 hours. Facility is clean and organized with good food handling.</p>

Any operator aggrieved by an order of this department under this chapter may request a hearing as provided in ch.227 statute, if state licensed, or a local ordinance if licensed by an agent health department.

Person in Charge



Sanitarian



Paula Mugan
 (262) 335-4470